SURFACE WATER QUALITY ANALYSIS TECHNICAL REPORT

SURFACE WATER MODELING OF WATER QUALITY IMPACTS ASSOCIATED WITH COAL BED METHANE DEVELOPMENT IN THE POWDER RIVER BASIN

Prepared in support of:

Final Environmental Impact Statement and Proposed Plan Amendment for the Powder River Basin Oil and Gas Project for:

> Bureau of Land Management Buffalo Field Office Buffalo, Wyoming

> > and

Statewide Oil and Gas Final Environmental Impact Statement and Amendment of the Powder River and Billings Resource Management Plans for:

Bureau of Land Management Miles City Field Office Billings Field Office Billings, Montana

Prepared by:

Greystone Environmental Consultants, Inc. Denver, Colorado

and

ALL Consulting Tulsa, Oklahoma

January 2003

TABLE OF CONTENTS

1.0 INTRODUCTION	1-1
2.0 PROJECT DESCRIPTION	
2.1 Alternatives Analyzed	2-1
2.1.1 Wyoming FEIS	
2.1.2 Montana FEIS	
3.0 APPROACH TO SURFACE WATER MODEL	
3.1 Discussion of Proposed Standards	
3.2 Evaluation Criteria	
3.2.1 Most Restrictive Proposed Limits/Least Resrictive Proposed Limits	
3.2.2 Ayers and Westcot Irrigation Suitability Diagram	
3.2.3 Percent of CBM Discharge	
4.0 DEVELOPMENT OF SURFACE WATER MODEL	
4.1 Methodology	
4.2 Model Input Parameters	
4.2.1 Stream Quantity and Quality	
4.2.2 CBM Quantity and Quality	
4.2.2.1 CBM Wells	
4.2.3 Water Losses	
4.3 Assumptions	
5.0 IMPACTS PROJECTED BY THE SURFACE WATER MODEL	
5.1 Wyoming Streams	
5.1.1 Belle Fourche River	
5.1.2 Cheyenne River	
5.1.3 Upper Powder River	
5.1.4 Clear Creek	
5.1.5 Crazy Woman Creek	
5.1.6 Salt Creek	
5.2 Wyoming/Montana Streams	
5.2.1 Upper Tongue River	
5.2.2 Powder River	
5.2.3 Little Powder River	
5.3 Montana Streams	
5.3.1 Tongue River	
5.3.2 Powder River	
5.3.3 Little Powder River	
5.3.4 Mizpah Creek	
5.3.4 Bighorn/Little Bighorn Rivers	
5.3.5 Rosebud Creek	
5.3.6 Yellowstone River	
6.0 CUMULATIVE IMPACTS TO SURFACE WATER PROJECTED BY THE MODEL	
7.0 REFERENCES	7-12

FIGURES

Figure 1-1	Analysis Area, Powder River Basin, Wyoming and Montana	1-2
Figure 5-1	Stream EC Before and After Mixing-Upper Belle Fourche River Sub-Watershed	
Figure 5-2	Stream SAR Before and After Mixing-Upper Belle Fourche River Sub-Watershed	
Figure 5-3	Irrigation Suitability Before and After Mixing – Upper Belle Fourche River	
C	Sub-Watershed	5-7
Figure 5-4	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	
C	Discharge – Upper Belle Fourche River Sub-Watershed	5-8
Figure 5-5	Stream EC Before and After Mixing-Antelope Creek Sub-Watershed	5-12
Figure 5-6	Stream SAR Before and After Mixing- Antelope Creek Sub-Watershed	5-12
Figure 5-7	Irrigation Suitability Before and After Mixing – Antelope Creek Sub-Watershed	5-12
Figure 5-8	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	
	Discharge – Antelope Creek Sub-Watershed	
Figure 5-9	Stream EC Before and After Mixing- the Upper Cheyenne River Sub-Watershed	5-12
Figure 5-10	Stream SAR Before and After Mixing- the Upper Cheyenne River Sub-Watershed	5-12
Figure 5-12	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	
	Discharge – the Upper Cheyenne River Sub-Watershed	5-12
Figure 5-13	Stream EC Before and After Mixing-Upper Powder River Sub-Watershed	5-12
Figure 5-14	Stream SAR Before and After Mixing-Upper Powder River Sub-Watershed	
Figure 5-15	Irrigation Suitability Before and After Mixing – Upper Powder River Sub-Watershed .	
Figure 5-17	Stream EC Before and After Mixing-Clear Creek Sub-Watershed	
Figure 5-18	Stream SAR Before and After Mixing- Clear Creek Sub-Watershed	
Figure 5-19	Irrigation Suitability Before and After Mixing – Clear Creek Sub-Watershed	5-12
Figure 5-20	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	
	Discharge – Clear Creek Sub-Watershed	
Figure 5-21	Stream EC Before and After Mixing-Crazy Woman Creek Sub-Watershed	
Figure 5-22		5-12
Figure 5-24	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	- 10
	Discharge – Crazy Woman Creek Sub-Watershed	
Figure 5-25		
Figure 5-26	Stream SAR Before and After Mixing-Upper Tongue River Sub-Watershed	5-12
Figure 5-28	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	7 10
F: 5.20	Discharge – Upper Tongue River Sub-Watershed	
Figure 5-29	Stream EC Before and After Mixing- Middle Powder River Sub-Watershed	
Figure 5-30	Stream SAR Before and After Mixing- Middle Powder River Sub-Watershed	5-12
Figure 5-31	Irrigation Suitability Before and After Mixing – Middle Powder River	7 10
E: 5 22		5-12
Figure 5-32	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	5 10
Eigen 5 22	Discharge – Middle Powder River Sub-Watershed	
Figure 5-33	Stream EC Before and After Mixing-Little Powder River Sub-Watershed	
Figure 5-34 Figure 5-35	Stream SAR Before and After Mixing-Little Powder River Sub-Watershed	
Figure 5-37	Irrigation Suitability Before and After Mixing - Little Powder River Sub-Watershed	
Figure 5-37 Figure 5-38	Stream EC Before and After Mixing-Upper Tongue River Sub-Watershed Stream SAR Before and After Mixing-Upper Tongue River Sub-Watershed	
Figure 5-39	Irrigation Suitability Before and After Mixing – Upper Tongue River	5-12
riguic 3-39	Sub-Watershed	5.12
	Duo- 11 atorsited	5-12

Figure 5-40	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	
	Discharge – Upper Tongue River Sub-Watershed	5-12
Figure 5-41	Stream EC Before and After Mixing-Lower Tongue River Sub-Watershed	5-12
Figure 5-42	Stream SAR Before and After Mixing-Lower Tongue River Sub-Watershed	5-12
Figure 5-43	Irrigation Suitability Before and After Mixing – Lower Tongue River Sub-Watershed	5-12
Figure 5-44	Irrigation Suitability Before and After Mixing with Varying Proportions of	
υ	CBM Discharge – Lower Tongue River Sub-Watershed	5-12
Figure 5-45	Stream EC Before and After Mixing-Lower Powder River Sub-Watershed	
Figure 5-46		
Figure 5-47	Irrigation Suitability Before and After Mixing – Lower Powder River Sub-Watershed	5-12
Figure 5-48	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	
	Discharge – Lower Powder River Sub-Watershed	5-12
Figure 5-49	Stream EC Before and After Mixing- Mizpah Creek Sub-Watershed	5-12
Figure 5-50	Stream SAR Before and After Mixing- Mizpah Creek Sub-Watershed	
Figure 5-51	Irrigation Suitability Before and After Mixing – Mizpah Creek Sub-Watershed	5-12
Figure 5-52	Irrigation Suitability Before and After Mixing with Varying Proportions of	
	CBM Discharge – Mizpah Creek Sub-Watershed	5-12
Figure 5-53	Stream EC Before and After Mixing-Little Bighorn River Sub-Watershed	5-12
Figure 5-54	Stream SAR Before and After Mixing- Little Bighorn River Sub-Watershed	5-12
Figure 5-55	Irrigation Suitability Before and After Mixing – Little Bighorn River	
	Sub-Watershed	5-12
Figure 5-56	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	
	Discharge – Little Bighorn River Sub-Watershed	
Figure 5-57	· · · · · · · · · · · · · · · · · · ·	
Figure 5-58		5-12
Figure 5-59	Irrigation Suitability Before and After Mixing – Lower Bighorn River Sub-Watershed	5-12
Figure 5-60	Irrigation Suitability Before and After Mixing with Varying Proportions of	
	CBM Discharge – Lower Bighorn River Sub-Watershed	5-12
Figure 5-6	Stream EC Before and After Mixing-Rosebud Creek Sub-Watershed	5-12
Figure 5-62	Stream SAR Before and After Mixing- Rosebud Creek Sub-Watershed	
Figure 5-63	Irrigation Suitability Before and After Mixing – Rosebud Creek Sub-Watershed	5-12
Figure 5-64	Irrigation Suitability Before and After Mixing with Varying Proportions of	
	CBM Discharge – Rosebud Creek Sub-Watershed	5-12
	Stream EC Before and After Mixing-Rosebud Creek Sub-Watershed	
Figure 5-66	Stream SAR Before and After Mixing- Rosebud Creek Sub-Watershed	5-12
	Irrigation Suitability Before and After Mixing – Rosebud Creek Sub-Watershed	5-12
Figure 5-68	Irrigation Suitability Before and After Mixing with Varying Proportions of	
	CBM Discharge – Rosebud Creek Sub-Watershed	5-12
Figure 5-69	Stream EC Before and After Mixing-Lower Yellowstone River Sub-Watershed	
Figure 5-70		5-12
Figure 5-71	Irrigation Suitability Before and After Mixing – Lower Yellowstone River	
	Sub-Watershed	5-12
Figure 5-72	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	<i>7</i> 10
D: 5.50	Discharge – Lower Yellowstone River Sub-Watershed	
Figure 5-73	Stream EC Before and After Mixing-Lower Yellowstone River Sub-Watershed	5-12

Figure 5-74	Stream SAR Before and After Mixing- Lower Yellowstone River Sub-Watershed	5-12
Figure 5-75	Irrigation Suitability Before and After Mixing – Lower Yellowstone River	
	Sub-Watershed	5-12
Figure 5-76	Irrigation Suitability Before and After Mixing with Varying Proportions of CBM	
	Discharge – Lower Yellowstone River Sub-Watershed	5-12
	· ·	

APPENDICES

- Appendix A Numeric Standards Proposed for the Tongue, Powder, and Little Powder River Basins, and Adopted for the Cheyenne and Belle Fourche River Basins
- Appendix B Analysis of SAR Mixing
- Appendix C Existing Stream Flow and Water Quality Parameters at Selected Gauging Stations within the PRB
- Appendix D Coal Bed Methane Parameters Used to Evaluate Potential Impacts to Surface Water Quality

Appendix E – Comparison of Surface Water Model Predictions with Actual Observed Data

TABLES

Table 3-1	Summary of Proposed Limits for Surface Water Impact Analysis	3-4
Table 4-1	Summary of Input Parameters	4-2
Table 5-1	Impact Analysis for Surface Water of the Upper Belle Fourche River Sub-Wa	itershed 5-3
Table 5-2	Surface Water Impact Analysis of the Antelope Creek Sub-Watershed	5-11
Table 5-3	Surface Water Impact Analysis of the Upper Cheyenne River Sub-Watershed	5-12
Table 5-4	Surface Water Impact Analysis of the Upper Powder River Sub-Watershed	5-12
Table 5-5	Surface Water Impact Analysis of the Clear Creek Sub-Watershed	5-12
Table 5-6	Surface Water Impact Analysis of the Crazy Woman Creek Sub-Watershed	5-12
Table 5-7	Surface Water Impact Analysis of the Salt Creek Sub-Watershed	5-12
Table 5-8	Surface Water Impact Analysis of the Upper Tongue River Sub-Watershed	5-12
Table 5-9	Surface Water Impact Analysis of the Middle Powder River Sub-Watershed	5-12
Table 5-10	Surface Water Impact Analysis of the Little Powder River Sub-Watershed	5-12
Table 5-11	Surface Water Impact Analysis of the Upper/Lower Tongue River Sub-Water	shed 5-12
Table 5-12	Surface Water Impact Analysis of the Middle/Lower Powder River Sub-Wate	ershed . 5-12
Table 5-13	Surface Water Impact Analysis of the Mizpah Creek Sub-Watershed	5-12
Table 5-14	Surface Water Impact Analysis of the Little Bighorn/Bighorn River	
	Sub-Watersheds	5-12
Table 5-15	Surface Water Impact Analysis of the Rosebud Creek Sub-Watershed	5-12
Table 5-16	Surface Water Impact Analysis of the Lower Yellowstone-Sunday/Lower	
	Yellowstone Sub-Watersheds	5-12
Table 6-1	Cumulative Surface Water Impact Analysis	5-12